

Arrotolatori Tessuto Cloth Batchers



GAP *project*



Arrotolatori Tessuto

Cloth Batchers



Arrotolatore tessuto mod. "TC-4" a tiro continuo e tensione costante del tessuto, per la verifica e la formazione di grandi rotoli

Questi arrotolatori di tipo tangenziale sono stati studiati e progettati appositamente per la verifica e la formazione di grandi rotoli di tessuti delicati come i tessuti tecnici (fibra di vetro e simili). Sono infatti indicati per i tessuti che nel sopportare tensione costante in ordito possono subire alterazioni in trama. I rulli di avvolgimento tangenziale sono vulcanizzati in gomma speciale. Un particolare motovariatore, azionato da una scheda elettronica, controlla costantemente la tensione del tessuto per mezzo di un rullo ballerino a peso regolabile. E' dotato di dispositivo per la regolazione della compattezza del rotolo. Gli arrotolatori sono corredati di alzata per ispezionare il tessuto dove possono essere inseriti sia una lampada al neon per il controllo in trasparenza che un faretto con lampada alogena a stretto fascio luminoso per il controllo della trama. L'alzata viene fissata sulla pedana passaggio operatore.







Batcher for fabrics mod. "TC-4" with continuous draw and constant tension of the fabric, for the inspection and the formation of big fabric rolls

These batchers, of the tangential type, have been purposely developed and designed for checking and forming of big rolls of delicate fabrics such as technical fabrics (fiberglass and similar). They are indeed suitable for fabrics which, when supporting constant tension in the warp, may suffer alterations in the weft. The rollers for the tangential rolling up are coated with special vulcanized rubber. A particular motovariator, driven by an electronic card, constantly controls the tension of the fabric by means of a dancing roller with adjustable weight.



The batcher is provided with a device for the control of compactness of the fabric roll. The batchers are fitted with a screen for inspection of the fabric to which may be applied a neon lamp for the check by transparency as well as a spot light with halogen lamp and with narrow light beam for inspection of the weft.

The screen is fixed to the footboard for operator passage.



TECNOLOGIE ALL'AVANGUARDIA PER IL MONDO TESSILE
FOREFRONT TECHNOLOGIES FOR THE TEXTILE WORLD






GAP *project*




Arrotolatori Tessuto Cloth Batchers

TC-4 / 340



TC-4/290



GAP project

TECNOLOGIE ALL'AVANGUARDIA PER IL MONDO TESSILE

Bergamo - Italy